

PCT/EP200 4 / 0 0 5 8 0 0

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

14 07 2004

REC'D 21 JUL 2004

WIPO

PC



INTELLECTUAL
PROPERTY INDIA
PATENTS / DESIGNS / TRADE MARKS /
GEOGRAPHICAL INDICATION




सत्यमेव जयते

Government of India
Patent Office
Todi Estates, 3rd Floor,
Lower Parel (West)
Mumbai - 400 013

THE PATENTS ACT, 1970

IT IS HEREBY CERTIFIED THAT, the annex is a true copy of
Application and Provisional Specification filed on 03/06/2003 in respect of Patent Application
No.568/MUM/2003 of HINDUSTAN LEVER LIMITED, a company incorporated under the
Indian Companies Act, 1913 and having its registered office at Hindustan Lever House, 165/166,
Backbay Reclamation, Mumbai - 400 020, Maharashtra, India.

This certificate is issued under the powers vested in me under Section
147(1) of the Patents Act, 1970.



..... Dated this 2nd day of June 2004.

(R. BHATTACHARYA)

ASST. CONTROLLER OF PATENTS & DESIGNS

FORM 1

THE PATENTS ACT, 1970
(39 of 1970)

APPLICATION FOR GRANT OF A PATENT
[See Sections 5 (2), 7, 54 and 135 and rule 33A]

1. We, **HINDUSTAN LEVER LIMITED**, a company incorporated under the Indian Companies Act, 1913 and having its registered office at Hindustan Lever House, 165/166, Backbay Reclamation, Mumbai - 400 020, Maharashtra, India

2. hereby declare -

- (a) that we are in possession of an invention titled

COMPOSITION FOR TOPICAL APPLICATION

- (b) that the Provisional specification relating to this invention is filed with this application.

- (c) that there is no lawful ground of objection to the grant of a patent to us.

3. further declare that the inventors for the said invention are

PARGAL Anisha, 16, Ganga Jamuna, 17th Road, Santa Cruz (West), Mumbai 400 054, Maharashtra, India, Indian Citizen, **MANI Indu**, # 502, Royal Manor Apts, Kodihalli Main Road, HAL III Stage, Bangalore 560 008, Karnataka, India, Indian Citizen, **VORA Shilpa**, # 214-B, Natasha Golf View Apts, New Ring Road, Domlur, Bangalore 560 071, Karnataka, India, American Citizen, **SAHA Subarna**, 218, Karumariyamma Temple Road, Whitefield, Bangalore 560 066, Karnataka, India, Indian Citizen, **NAIR Nirmala**, B-204, Millenium Habitat, Kundalahalli, K. R. Puram, Bangalore 560 037, Karnataka, India, Indian Citizen and **SURENDRA Nagalakshmi**, 106 Sairagh Apts, 4th Cross, A-Block, AECS Layout, Kundalahalli, Bangalore 560 037, Karnataka, India, Indian Citizen

- ~~4. We, claim the priority from the applicant(s) filed in convention countries, particulars of which are as follows:-~~

- ~~5. We state that the said invention is an improvement in or modification of the invention, the particulars of which are as follows and of which we are the applicant/patentee.~~

- ~~6. We state that the application is divided out of our application, the particulars of which are given below and pray that this application deemed to have been filed on _____ under Section 16 of the Act.~~

7. That we are the assignee of the true and first inventors

8. That our address for service in India is as follows:-

S.Majumdar & Co., 5 Harish Mukherjee Road, Calcutta - 700 025, India

Received Rs. 3500/- in Cash

3/6/03

Vide Entry No. 3386 in the

Register of Patents, India

for

568/mum/2003

3/6/2003

~~Following declaration was given by the inventor(s) or applicant(s) in the convention country:-~~

We, the true and first inventors for this invention or the applicant(s) declare that the applicant(s) herein is/are our assignee or legal representative.

PARGAL Anisha, 16, Ganga Jamuna, 17th Road, Santa Cruz (West), Mumbai 400 054, Maharashtra, India, Indian Citizen, **MANI Indu**, # 502, Royal Manor Apts, Kodihalli Main Road, HAL III Stage, Bangalore 560 008, Karnataka, India, Indian Citizen, **VORA Shilpa**, # 214-B, Natasha Golf View Apts, New Ring Road, Domlur, Bangalore 560 071, Karnataka, India, American Citizen, **SAHA Subarna**, 218, Karumariyamma Temple Road, Whitefield, Bangalore 560 066, Karnataka, India, Indian Citizen, **NAIR Nirmala**, B-204, Millenium Habitat, Kundalahalli, K. R. Puram, Bangalore 560 037, Karnataka, India, Indian Citizen and **SURENDRA Nagalakshmi**, 106 Sairagh Apts, 4th Cross, A-Block, AECS Layout, Kundalahalli, Bangalore 560 037, Karnataka, India, Indian Citizen

PARGAL Anisha

MANI Indu

VORA Shilpa

SAHA Subarna

NAIR Nirmala

SURENDRA Nagalakshmi

10. That to the best of our knowledge, information and belief the fact and matters stated herein are correct and that there is no lawful ground of objection to the grant of patent to us on this application.
11. Followings are the attachment with the application:
 - (a) Provisional Specification (3 copies)
 - (b) Fee Rs. 3000/- in cheque

We request that a patent may be granted to us for the said invention.

Dated this 3rd day of June 2003

To

The Controller of Patents
The Patent Office
Mumbai

HINDUSTAN LEVER LIMITED.

S Venkatramani

(S. Venkatramani)
Patents Manager

FORM -2

THE PATENTS ACT, 1970
(39 of 1970)

PROVISIONAL SPECIFICATION
(See Section 10)

COMPOSITION FOR TOPICAL APPLICATION

HINDUSTAN LEVER LIMITED, a company incorporated under the Indian Companies Act, 1913 and having its registered office at Hindustan Lever House, 165/166, Backbay Reclamation, Mumbai -400 020, Maharashtra, India

The following specification particularly describes the nature of the invention and the manner in which it is to be performed.

Technical Field of the Invention

The present invention relates to an improved cosmetic composition for topical application to human skin to provide enhanced protection from sunlight. The invention particularly relates to a skin lightening composition prepared from natural actives.

Background and Prior Art

Melanin is the black pigment synthesised by the action of the enzyme tyrosinase on the amino acid tyrosine. The reaction takes place in organelles called melanosomes contained within cells called melanocytes. Melanocytes transfer melanosomes with melanin to neighbouring keratinocytes which harbour these organelles till they are themselves shed from the body from the superficial layers of the skin. The intensity of the skin colour is directly related to the number, the size, melanin content, the rate of formation and transfer of melanosomes to keratinocytes and degradation of melanin in keratinocytes. Melanin is also an important protectant of skin and tissues beneath the skin as it has the capacity to absorb incident ultraviolet light.

The UV range is divided into three regions, UV-A, having a wavelength of from about 320 to 400 nm which gives a tanning effect without inflammation; UV-B, having a wavelength of from about 290-320 nm which is responsible for erythema (sunburn) and eventually for tanning; and UV-C, having a wavelength of from about

200-290 nm, normally absorbed by the ozone layer in the earth's atmosphere, but which is potentially very damaging to the skin.

Melanogenesis and pigmentation of the skin are closely related responses to irradiation by UV light. Exposure to sunlight leads to darkening of the skin by immediate pigment darkening of already formed melanin, and also by formation of new melanin. Many skin compositions are formulated for the purpose of maintaining the colour of the skin against darkening following exposure to ultra-violet light. These compositions have been based on materials which deflect and scatter incident ultra-violet light of the wavelength which produce burning and tanning of the skin or which absorb this light.

Conventional skin lightening compositions are based on sunscreens or skin lightening agents. The latter are believed to control dispersion of melanosomes or inhibit tyrosinase. Sunscreens alone can not lighten the skin beyond the natural skin colour and their only action is to reduce the ingress of ambient ultraviolet radiation into the skin. Thus, they exert their effect only during the day. Some of the compounds used as skin lightening agents are also known to have undesirable side effects.

Several cosmetic products formulated using plant parts are available in the market. The advantages of plant source of actives in various cosmetic preparations such as skin creams, shampoos, hair applications, perfumes, soothing and nourishing

creams etc has been well established. Synthetic actives are considered to be harsher than similar actives obtained from natural sources such as plants.

US20030096023 discloses tyrosinase inhibitors obtained from several dicotyledonous plant species thus leading to skin lightening. The plants are those belonging to the family Polygonaceae, Rosaceae, and Onagraceae.

The present inventors have identified that plant extracts of the species belonging to the genera *Symplocos* or *Rubia* on topical application to the skin give improved skin lightening benefits. It is possible to formulate cosmetic compositions incorporating the extracts from these plants to provide protection from the UV damage caused by the sun's radiation and also bring about lightening of the skin.

JP2001192317 (Shiseido) 2001, discloses matrix metalloproteinases inhibitors from several plants including *Symplocos*. Such an inhibition provides benefit in preventing wrinkles, skin aging.

US6258344 (Procter, 2001), discloses skin lightening compositions having certain hydroquinone derivatives, and lists *Rubia* under the class of natural anti-inflammatory agents.

JP09175962 (Lion, 1997), discloses use of plants belonging to the family of *Rubia cordifolia*, in a hair dyeing composition. This refers to darkening of hair which is contrary to the skin lightening effect.

JP2001163755 (Shiseido, 2001), discloses the use of *Glycyrrhiza* in preparations for external use for skin to obtain skin bleaching effect and JP11021228 (Kanebo, 1999) discloses *Glycyrrhiza* as an anti-inflammatory agent.

US6455057 (Elizabeth Arden, 2002), discloses a skin care composition comprising petroselinic acid and/or derivatives thereof; a phenolic compound and/or mixtures thereof; and a dermatologically acceptable vehicle for treating wrinkles and soothing sensitive skin. However, they disclose coriander seed oil as a source of petroselinic acid.

However, none of the prior art teaches the skin lightening and protection against damaging effects of ultraviolet radiation by using the extracts of *Symplocos* or *Rubia* and cosmetic compositions comprising them.

It is the object of the invention to provide a synergistic cosmetic composition comprising skin lightening actives selected from plant sources.

It is another object of the invention to provide a synergistic cosmetic composition that will provide protection against the damaging effects of ultra violet radiation by the use of actives from natural sources.

It is yet another object of the invention to provide a synergistic cosmetic composition that will provide skin lightening with out requiring the use of chemical actives.

Summary of the Invention:

According to the present invention there is provided a cosmetic skin lightening composition comprising an extract of the plant *Symplocos* or *Rubia* or a mixture thereof.

According to the preferred aspect of the present invention there is provided a cosmetic skin lightening composition comprising 0.1-50% by weight of the composition an extract of the plant *Symplocos* or *Rubia* or a mixture thereof.

According to the preferred aspect of the present invention there is provided a cosmetic skin lightening composition comprising:

- i. 0.1-50% by weight of the composition an extract of the plant *Symplocos* or *Rubia* or a mixture thereof;
- ii. 0.1 to 10% by weight of a sunscreen.

The plant parts used in the composition may be selected from any part of the plant but preferably from the stem, bark, leaves, flowers, or roots. It is particularly preferred that the bark of the plant is used.

The extract is prepared using any suitable solvent and particularly preferred solvent is water.

Detailed Description of the Invention:

It is an essential aspect of the present invention that the plant extracts of *Symplocos* or *Rubia* are incorporated in the cosmetic composition. However, other plant extracts from *Glycyrrhiza*, *Coriandum*, *Acorus* and useful conventional ingredients may be added to the composition.

Symplocos, is a genus belonging to the family Symplocaceae, commonly available in India. It has several species of which *S. recemosa*, *S. paniculata* and *S. cochinchinensis* are the preferred species for use in the composition.

Rubia, is a genus belonging to the family Rubiaceae of which *R. cordifolia*, commonly available in India is the preferred species.

The conventional ingredients may be in the nature of sunscreens, other skin lightening agents chosen from natural or other synthetic sources, moisturizers, humectants, benefit agents, perfumes etc.

The composition of the invention may optionally comprise from 0.1 to 10%, preferably 0.5 to 5% by weight of one or more skin whitening agents. The skin whitening agent is preferably chosen from niacin, niacinamide or a precursor thereof that is capable of releasing niacinamide on the skin. Niacinamide is the amide of niacin and is also known as nicotinamide or pyridine-3-carboxylic acid. An example of a compound which is a niacinamide precursor is niacinamide ascorbate. Other suitable skin whitening agents include extracts of placenta, hydroquinone and derivatives (eg. arbutin), kojic acid, dicarboxylic acids (azelaic acid, sebacic acid), represented by the formula $\text{HOOC}-(\text{C}_x\text{H}_y)-\text{COOH}$ where $x=4$ to 20 and $y=6$ to 40, ascorbic acid and derivatives thereof, hydroxy acids (lactic acid, glycolic acid, malic acid, tartaric acid etc), ferulic acid, retinol and derivatives or any other known skin whitening compounds.

The sunscreens used may be organic or inorganic in nature and are preferably chosen from 4-tertiary butyl-4'-methoxy dibenzoylemethane, available under the trade name PARSOL 1789 ex Givaudan, 2-ethyl hexyl methoxy cinnamate, available under the trade name PARSOL MCX ex Givaudan or mixtures of the two sunscreen compounds. The composition comprises 0.1 to 10% by weight of the composition and preferably 0.1 to 5% by weight of the composition of a sunscreen compound. Inorganic sunscreens are for e.g. titanium dioxide, zinc oxide, and preferably in the micronized form.

The vehicle which forms part of the cosmetic composition is one or more substances which are mutually compatible with the sunscreen and if present, the skin whitening agent, and does not harm the skin. The vehicle can act as a diluent, dispersant or carrier for the other ingredients of the composition, and is therefore intended to ensure that they can be readily applied to and distributed evenly over the skin at an appropriate concentration.

The vehicles that can be used in compositions according to the invention can include water, powder absorbents, binders and carriers and liquids such as emollients, propellants, solvents, humectants and thickeners.

Examples of moisturisers and humectants include polyols, glycerol, cetyl alcohol, carbopol 934, ethoxylated castor oil, paraffin oils, lanolin and its derivatives. Silicone compounds such as silicone surfactants like DC3225C (Dow Corning) and/or silicone emollients, silicone oil (DC-200 Ex-Dow Corning) may also be included.

Compositions according to the invention can be prepared for topical application to the skin in the form of conventional product types such as creams, lotions, ointments and aerosol products.

The invention will now be illustrated by way of Examples. The Examples are for illustration only and do not in any way restrict the scope of the invention.

Examples:

In order to test the efficacy of an active in vitro three different cell based assays were used. The herb extract was used as the active that was prepared by the following procedure.

Herbs tested:

The barks of *Rubia cordifolia* (A), and *Symplocos racemosa* (B), were used in the different tests mentioned below.

Extraction procedure of herbs:

A 12.5% weight/Volume extract of the herbs was prepared in water. This extract was centrifuged at 14,000 x g for 10 min, filtered through a 0.2 micron filter, and 20 micro liter of stock / ml of cell culture media (=0.25% w/v) was used for all the cell culture assays.

i. In vitro synthesis of melanin:

The effect of the active on melanin synthesis was tested using melanocytes in culture. B16 melanocytes were grown in culture till they were about 60-70% confluent. The active was then added to the media and the cells were grown till they were confluent. The cells were then harvested and their melanin content was measured at 400 nm using a spectrophotometer. The effect of the actives

are presented as a percent of the melanin content of control cells (where the active was not provided) in Table 1.

Table 1

Treatment	Melanin Content (% of control) Mean \pm SEM
A	131.5
B	89.1
A + B	95.1

The data show that *Rubia* does not have an influence on the amount of melanin formed while *Symplocos* reduces the amount of melanin formed. A combination of *Rubia* and *Symplocos* show a synergistic reduction in the amount of melanin formed.

ii. Melanin uptake by keratinocytes:

The effects of the active on melanin uptake by keratinocytes were tested using HaCaT keratinocytes in culture. HaCaT keratinocytes were cultured till they reached confluence. Cells were then switched to media with no serum and 25 micro gram of synthetic melanin was added to the cells along with the actives. After an overnight incubation, cells were washed and melanin content was measured using a spectrophotometer. The effect of the actives is presented as a percent of the melanin content of control cells in Table 2.

Table 2

Treatment	Melanin uptake (% of control) Mean \pm SEM
A	94.6
B	89.78
A + B	89.6

The data show that both *Rubia* and *Symplocos* alone and in combination decreased the melanin uptake.

iii. Effect on skin lightening on a human panel:

Combinations of herbs comprising *Rubia cordifolia* and *Symplocos racemosa* were formulated into cosmetic creams whose formulation is presented in table 3 and tested on human volunteers in a short-term skin lightening clinical. Untreated and Placebo cream without the herbal extract were maintained for comparison and the results on skin lightening are presented in table 4.

Specific sites were marked on the forearms of 15 volunteers for cream application. The initial skin colour reading on each site served as untreated control. Study personnel applied 3 mg of cream on to each test site. This process was repeated for a period of 10 days. On the 11th day, the subjects were clinically evaluated and scored on a colour scale of 1 to 10 where 1 is the lightest and 10 is the darkest. The data presented in table 4 is the difference in skin colour before and after treatment.

Table 3

Ingredients	% w/w
Glycerin	1.0
Potassium Hydroxide	0.57
Herbal extract	30.0
Stearic acid	10.0
Cetyl Alcohol	0.6
Preservatives	0.3
Silicon Oil	0.5
Water	To 100

Table 4


Treatment	Skin lightening
Untreated	0
Placebo cream	0.29
Herbal cream	0.39

The data show that the herbal extracts even when formulated into a cosmetic composition showed significant skin lightening benefits.

Thus it is apparent from the above that it has been possible to formulate cosmetic compositions using extracts from plants to provide significant skin lightening benefits.

Dated this 3rd day of June 2003.

Hindustan Lever Limited.


(S. Venkatramani)
Patents Manager